



PROCEDURE:

1. MEASURE FROM THE GROUND TO THE TOP OF THE DOOR SILL.
2. DEDUCT 7 1/2". REFER TO THE TABLE AND FIND THE HEIGHT CLOSEST TO THAT MEASUREMENT. MAKE A NOTE OF THE BASE DEPTH IN THAT ROW.
3. REST THE END OF A 2X4X8 ON THE DOOR SILL AND BRING IT TO A LEVEL POSITION.
4. MEASURE OUT FROM THE FOUNDATION TO THE BASE DEPTH FOUND IN STEP 2.
5. TAKE A FINAL HEIGHT MEASUREMENT FROM THE GROUND TO THE BOTTOM OF THE 2X4X8.
6. DEDUCT 7 1/2". REFER TO THE TABLE AGAIN AND FIND THE CLOSEST HEIGHT TO DETERMINE THE NUMBER OF RISERS REQUIRED.

NUMBER OF RISERS	HEIGHT	BASE DEPTH
1	7 1/2"	34"
2	15"	45 3/4"
3	22 1/2"	56 3/4"
4	30"	67 3/4"
5	37 1/2"	78 3/4"
6	45"	89 3/4"
7	52 1/2"	100 3/4"

RICHARD GENEST, INC.

**STEP
MEASURING**